

# UNSW ARID ZONE RESEACH STATION

## Publications 1990-1999

- Ashworth, D. L. (1996). Strategies of maternal investment in marsupials. In *Comparison of Marsupial and Placental Behaviour*, D. B. Croft and U. Ganslosser, pp. 226-251. Fuerth, Filander Verlag.
- Austin, A. D., R. A. Wharton and P. C. Dangerfield (1993). Revision of the endemic Australian subfamily Trachypetinae Schulz s. l. (including Cercobarconinae Tobias) (Hymenoptera: Braconidae). *Systematic Entomology* **18**(2): 97-119.
- Belovsky, G. E., O. J. Schmitz, J. B. Slade and T. J. Dawson (1991). Effects of spines and thorns on Australian arid zone herbivores of different body masses. *Oecologia* **88**(4): 521-528.
- Clancy, T. F. and D. B. Croft (1990). Home range of the common wallaroo, *Macropus robustus erubescens*, in far western New South Wales. *Australian Wildlife Research* **17**(6): 659-673.
- Clancy, T. F. and D. B. Croft (1991). Differences in habitat usage and grouping behaviour between macropods and eutherian herbivores. *Journal of Mammalogy* **72**: 441-449.
- Clancy, T. F. and D. B. Croft (1992). Population dynamics of the common wallaroo (*Macropus robustus erubescens*) in arid New South Wales. *Wildlife Research* **19**(1): 1-16.
- Cordery, I. (1999). Long range forecasting of low rainfall. International . *Journal of Climatology* **19**(5): 463-470.
- Croft, D. B. (1991). Home range of the red kangaroo, *Macropus rufus*. *Journal of Arid Environments* **20**: 93-98.
- Croft, D. B. (1991). Home range of the euro, *Macropus robustus erubescens*. *Journal of Arid Environments* **20**: 99-111.
- Croft, D. B. (1991). *Australian People and Animals in Today's Dreaming: The role of comparative psychology in the management of natural resources*. New York, Praeger.
- Croft, D. B. (1996). Locomotion, foraging competition and group size: a comparison of kangaroos and sheep. In *Comparison of marsupial and placental behaviour.*, D. B. Croft and U. Ganslosser. Furth, Filander Verlag.
- Croft, D. B. and F. Snaith (1991). Boxing in red kangaroos, *Macropus rufus*: Aggression or play? *International Journal of Comparative Psychology* **4**: 221-236.
- Crozier, R. H., V. S. Fraser, B. E. Kaufmann, M. E. Carew, B. P. Oldroyd and W. T. Tay (1998). Dissection of colony and caste structure in ants. XIII Congress of IUSSI. , Inc., Adelaide, Australia. p. 120.
- Crozier, R. H., B. P. Oldroyd, W. T. Tay, B. E. Kaufmann, R. N. Johnson, M. E. Carew and K. M. Jennings (1997). Molecular advances in understanding social insect population structure. *Electrophoresis* **18**: 1672-1675.
- Dawson, T. J. (1995). *Kangaroos: biology of the largest marsupials*. UNSW

- Press, Sydney.
- Dawson, T. J. (1995). Red kangaroos, the kings of cool. *Natural History* **104**: 39-45.
- Dawson, T. J. (1997). Desert kangaroos. In *Windows on Meteorology: Australian Perspectives.*, E. K. Webb, pp. 75-80. Melbourne, CSIRO Publishing.
- Dawson, T. J. and B. A. Ellis (1994). Diets of mammalian herbivores in Australian arid shrublands: seasonal effects on overlap between red kangaroos, sheep and rabbits and on dietary niche breadths and electivities. *Journal Of Arid Environments* **26**(3): 257-271.
- Dawson, T. J. and B. A. Ellis (1994). Did dietary competition play a role in the extinction of small macropodids in western New South Wales with the coming of European settlement? Lunney, D., Hand, S., Reed, P. & Butcher, D. [Eds]. *Future of the fauna of western New South Wales*. Royal Zoological Society of New South Wales, Mosman.
- Dawson, T. J. and B. A. Ellis (1996). Diets of mammalian herbivores in Australian arid, hilly shrublands: seasonal effects on overlap between euros (hill kangaroos), sheep and feral goats, and on dietary niche breadths and electivities. *Journal Of Arid Environments* **34**(4): 491-506.
- Dawson, T. J., S. K. Maloney and E. Skadhauge (1991). The role of the kidney in electrolyte and nitrogen excretion in a large flightless bird, the emu, during different osmotic regimes, including dehydration and nesting. *Journal Of Comparative Physiology B Biochemical Systemic And Environmental Physiology* **161**(2): 165-171.
- Dunkerley, D. L. (1997). Banded vegetation: development under uniform rainfall from a simple cellular automaton model. *Plant Ecology* **129**: 103-111.
- Dunkerley, D. L. (1997). Banded vegetation: survival under drought and grazing pressure based on a simple automaton model. *Journal of Arid Environments* **35**: 419-428.
- Dunkerley, D. L. (1998). The effects of plant litter on sediment detachment and transport in the arid zone: rainfall simulation experiments at Fowlers Gap, NSW. Eighth Biennial Conference, Australian and New Zealand Geomorphology Group, Goolwa, SA. p. 18.
- Dunkerley, D. L. (1998). The effects of plant litter on sediment detachment and transport in the arid zone: rainfall simulation experiments at Fowlers Gap, NSW. Eighth Biennial Conference, Australian and New Zealand Geomorphology Group, Goolwa, South Australia. p. 18.
- Dunkerley, D. L. (1999). Cellular automata: the exploration of spatial phenomena in ecology. In *Machine learning methods for ecological applications.*, F. A.H., pp. 145-183. Boston, Kluwer Academic.
- Dunkerley, D. L. (1999). Banded shrublands of arid western N.S.W.: responses to interannual rainfall variability. *Ecological Modelling* **121**: 127-138.
- Dunkerley, D. L. and T. L. Booth (1999). Plant canopy interception and its significance in a banded landscape, arid western New South Wales. *Australia. Water Resources Research* **35**(5): 1581-1586.
- Dunkerley, D. L. and K. J. Brown (1999). Banded vegetation near Broken Hill, Australia: significance of soil surface roughness and soil physical

- properties. *Catena* **37**: 75-88.
- Dunkerley, D. L. and K. J. Brown (1999). Flow behaviour, suspended sediment transport and transmission losses in a small (sub bankfull) flow event in an Australian desert stream. *Hydrological Processes* **13**: 1577-1588.
- Edwards, G. P., D. B. Croft and T. J. Dawson (1994). Observations of differential sex/age class mobility in red kangaroos (*Macropus rufus*). *Journal Of Arid Environments* **27**(2): 169-177.
- Edwards, G. P., D. B. Croft and T. J. Dawson (1996). Competition between red kangaroos (*Macropus rufus*) and sheep (*Ovis aries*) in the arid rangelands of Australia. *Australian Journal Of Ecology* **21**(2): 165-172.
- Edwards, G. P., T. J. Dawson and D. B. Croft (1995). The dietary overlap between red kangaroos (*Macropus rufus*) and sheep (*Ovis aries*) in the arid rangelands of Australia. *Australian Journal Of Ecology* **20**(2): 324-334.
- Fanning, P. C. (1994). Long-term contemporary erosion rates in an arid rangelands environment in western New South Wales, Australia. *Journal Of Arid Environments* **28**: 173-187.
- Fanning, P. C. (1999). Recent landscape history in arid western New South Wales, Australia: a model for regional change. *Geomorphology* **29**(3/4): 191-209.
- Geddes, N. and D. L. Dunkerley (1999). The influence of organic litter on the erosive effects of raindrops and of gravity drops released from desert shrubs. *Catena* **36**: 303-313.
- Gibson, D. L. (1997). Recent Tectonics and landscape evolution in the Broken Hill region. *AGSO Research Newsletter* **26**: 17-20.
- Hewson, R. D. and G. R. Taylor (1995). AIRSAR imagery as an ancillary data set for geological mapping at Fowlers Gap, western New South Wales. International workshop on radar image processing and applications., University of NSW, UNSW. p. 54-57.
- Hewson, R. D., L. B. Whitburn and G. R. Taylor (1997). Application of TIMS imagery and airborne CO<sub>2</sub> laser spectroscopy for geological and geomorphological investigations of an arid environment, western NSW, Australia. Twelfth International Conference Applied Geologic Remote Sensing., Denver, ERIM. p. 373-384.
- Horak, M. (1994). A review of Cadra Walker in Australia: five new native species and the two introduced pest species (Lepidoptera: Pyralidae: Phycitinae). *Journal Of The Australian Entomological Society* **33**(3): 245-262.
- Ibrahim, A. B. and I. Cordery (1995). Estimation of recharge and runoff volumes from ungauged catchments in eastern Australia. *Hydrological Sciences Journal* **40**(4): 499-515.
- Kram, R. and T. J. Dawson (1998). Energetics and biomechanics of locomotion by red kangaroos (*Macropus rufus*). *Comparative Biochemistry and Physiology* **B120**: 41-49.
- Lawrie, J. W. (1991). Soils and erosion. In *Lands of the north-west corner of NSW*. **12**, P. I. Milthorpe. Sydney, Soil Conservation Service of NSW.
- Lewis, M. M. (1999). Numeric classification as an aid to spectral mapping of

- vegetation communities. *Plant Ecology* **136**: 133-149.
- Macdonald, B. C. T. and M. D. Melville (1999). The impact of contour furrowing on chenopod patterned ground at Fowlers Gap, western New South Wales. *Journal of Arid Environments* **41**(3): 345-357.
- Macdonald, B. C. T., M. D. Melville and I. White (1999). The distribution of soluble cations within chenopod-patterned ground Western New South Wales, Australia. *Catena* **37**: 89-105.
- Maloney, S. K. and T. J. Dawson (1993). Sexual dimorphism in basal metabolism and body temperature of a large bird, the emu. *Condor* **95**(4): 1034-1037.
- Maloney, S. K. and T. J. Dawson (1994). Ventilatory accommodation of oxygen demand and respiratory water loss in a large bird, the emu (*Dromaius novaehollandiae*), and a re-examination of ventilatory allometry for birds. *Journal Of Comparative Physiology B Biochemical Systemic And Environmental Physiology* **164**(6): 473-481.
- Maloney, S. K. and T. J. Dawson (1994). Thermoregulation in a large bird, the emu (*Dromaius novaehollandiae*). *Journal Of Comparative Physiology B Biochemical Systemic And Environmental Physiology* **164**(6): 464-472.
- Maloney, S. K. and T. J. Dawson (1995). The heat load from solar radiation on a large, diurnally active bird, the emu (*Dromaius novaehollandiae*). *Journal Of Thermal Biology* **20**(5): 381-387.
- Maloney, S. K. and T. J. Dawson (1998). Changes in patterns of heat loss at high ambient temperature caused by water deprivation in a large bird, the emu. *Physiological Zoology* **71**: 712-719.
- Mayo, G. (1994). Black-and-white form of the white-winged fairy-wren *Malurus leucopterus* in western New South Wales. *Australian Bird Watcher* **15**(7): 321-322.
- McLeod, L. J. and J. M. E. Anderson (1992). Distribution patterns, dispersal, seasonal abundance and reproduction of *Chrysomya rufifacies* (Macquart) (Diptera: Calliphoridae) in the arid zone of New South Wales. *Proceedings Of The Linnean Society Of New South Wales* **113**(1-4): 109-120.
- McLeod, L. J. and J. M. E. Anderson (1992). Distribution patterns, dispersal, seasonal abundance and reproduction of *Chrysomya rufifacies* (Macquart) (Diptera: Calliphoridae) in the arid zone of New South Wales. *Proceedings of the Linnean Society of New South Wales* **113**(1-4): 109-120.
- McLeod, S. R. (1997). Is the concept of carrying capacity useful in variable environments? *Oikos* **79**: 529-542.
- Moss, G. M. and D. B. Croft (1999). Body condition of the Red Kangaroo (*Macropus rufus*) in arid Australia: the effect of environmental condition, sex and reproductive activity. *Australian Journal of Ecology* **24**: 97-109.
- Nazemosadat, M. J. and I. Cordery (1997). The influence of geopotential heights on New South Wales rainfall. *Meteorology & Atmospheric Physics*. **63**(3-4): 179-193.
- Neef, G., R. S. Bottrill and A. Ritchie (1995). Phanerozoic stratigraphy and structure of the northern barrier ranges, western new south wales. *Australian Journal of Earth Sciences* **42**(6): 557-570.
- Shoshany, M. (1993). Roughness reflectance relationship of bare desert terrain -

- an empirical study. *Remote Sensing of Environment* **45**(1): 15-27.
- Skadhauge, E., T. J. Dawson, R. Prys-Jones and C. N. Warui (1996). Role of kidney and gut in ratite osmoregulation. In *Improving Our Understanding of Ratites in a Farming Environment*, D. C. Deeming, pp. 115-122. Manchester, University of Manchester.
- Skadhauge, E., S. K. Maloney and T. J. Dawson (1991). Osmotic adaptation of the emu (*Dromaius novaehollandiae*). *Journal Of Comparative Physiology B Biochemical Systemic And Environmental Physiology* **161**(2): 173-178.
- Skadhauge, E., S. K. Maloney and T. J. Dawson (1991). Osmotic adaptation of the emu (*Dromaius novaehollandiae*). *Journal Of Comparative Physiology B Biochemical Systemic And Environmental Physiology* **161**(2): 173-178.
- Smith, J. (1993). *Anatomy of the vasculature in the head of the emu, with reference to thermoregulation*. Unpublished BSc. (Hons) thesis. School of Biological Science, University of N.S.W, Sydney. 74 pp.
- Tay, W. T., J. M. Cook, D. J. Rowe and R. H. Crozier (1997). Migration between nests in the Australian arid-zone ant *Rhytidoponera* sp. 12 revealed by DGGE analyses of mitochondrial DNA. *Molecular Ecology* **6**(5): 403-411.
- Wakelin-King, G. A. (1999). Banded mosaic ('tiger bush') and sheetflow plains: a regional mapping approach. *Australian Journal of Earth Sciences* **46**: 53-60.
- Watson, D. M. and T. J. Dawson (1993). The effects of age, sex, reproductive status and temporal factors on the time-use of free-ranging red kangaroos (*Macropus rufus*) in western New South Wales. *Wildlife Research* **20**(6): 785-801.
- Zhou, Q., M. Robson and P. Pilesjo (1998). On the ground estimation of vegetation cover in Australian rangelands. *International Journal of Remote Sensing* **19**(9): 1815-1820.